



Laykold®

Masters Sealer

Features and Benefits

- ✓ Thixotropic
- ✓ Easy application
- ✓ Excellent sealer

1. General Description

Laykold Masters Sealer is a one component, thixotropic latex emulsion sealer.

Laykold Masters FlexFill is environmentally friendly containing no asbestos, Lead, or Mercury.

Basic Use: Laykold Masters Sealer is designed to seal porous SBR mats prior to the application of water-based coatings

2. Safety Guidelines

Always wear the recommended personal protective equipment. Avoid contact with eyes, skin, and clothing. Adequate ventilation is required during application. CAUTION: eye and respiratory irritant (ammonia)

3. Storage and Packaging

Laykold Masters Sealer should be kept dry and cool. Storage temperature should be between 4°C (40°F) and 32°C (90°F).

Packaging: 5 gallon pail at 20.82 kg

4. Coverage

Laykold Masters Sealer coverage is approximately 0.15-0.20 kg/m² (0.04-0.05 gal/yd² or 180-225 ft²/gal).

5. Installation Guidelines

The surface must be clean, dry, and free of oil, grease, dirt, and any foreign residue.

Laykold Masters Sealer is ready to use and should be applied with a flat trowel. Laykold Master Sealer is applied in 2 coats. The 2nd coat should be applied at a 90° angle to the 1st coat. Due to the ammonia content in the Laykold Masters Sealer, a full face respiratory with ammonia complaint cartridges is recommended during application.



6. Limitations

- Minimum surface and application temperature: 4°C (40°F)
- Maximum surface and application temperature: 32°C (90°F)
- Do not allow when rain is imminent
- Do not allow to freeze
- Do not dilute
- Drying time of 2-4 hours; dependent upon weather conditions
- Sealed surfaces should be coated within 24 hours

7. Technical Data

Results based on temperature of 23°C (73°F) and 50% Humidity

Density	1.05-1.15 g/cm ³
Viscosity	Thixotropic
Color	White
Tack Free Time	2-4 hours

*Based on standard formula calculation

Above figures are guide values and should not be used as a base for specifications

Consult the Safety Data Sheet (SDS) for more details

For complete and latest warranty and product information, please visit www.advpolytech.com

